MARYLAND HISTORICAL TRUST WORKSHEET

NOMINATION FORM for the NATIONAL REGISTER OF HISTORIC PLACES, NATIONAL PARKS SERVICE

	Shillcraft	Building	5 ° 2					
	AND/OR HISTORIC:				_			
		A. H. Shill	man Co. Ware	house				
2.	LOCATION							
	STREET AND NUMBER:		•					
	500 North Calvert Street							
	Baltimore							
	STATE	COUNTY:						
	Maryland							
3.	CLASSIFICATION	•			-			
	CATEGORY				STATUS	ACCESSIBL		
	(Check One)				314103	TO THE PUB		
	☐ District 🔀 Building	☐ Public	Public Acquisition:			Yes:		
	☐ Site ☐ Structure				Unoccupied	Restricted		
	☐ Object	☐ Both	☐ Being Cons	idered	Preservation work	Unrestrict		
					in progress	□ No		
	PRESENT USE (Check One or More as Appropriate)							
	☐ Agricultural ☐ Go	overnment] Park		Transportation	Comments		
	☐ Educational ☐ Military ☐ Religious							
	Entertainment Mu	seum	Scientific					
4.	OWNER OF PROPERTY							
_	OWNER'S NAME:							
	A. & H. Sh	illman & 0	.0.					
	STREET AND NUMBER:	want Ctno	-+					
		vert Stree	<i>-</i>			(2)		
	city or town: Baltimore			Mary	land	1		
		010 T 1011		maz y				
9.	COURTHOUSE, REGISTRY OF							
			601, Baltin	more C	ity Courth	ouse		
	STREET AND NUMBER:							
	Fayette an	d Calvert	Ctroots					
			Priegra -					
	CITY OR TOWN:		Streets	STATE				
	CITY OR TOWN: Baltimpre		Streets		land	21202		
	Baltimore			Mary		21202 895-658		
6,		of Current		Mary		005 050		
6.	Baltimpre Title Reference of REPRESENTATION IN EXIST	of Current ING SURVEYS	Deed (Book	Mary	#): RHB 21	005 050		
6.	Baltimore Title Reference (REPRESENTATION IN EXIST TITLE OF SURVEY: City of Ba	of Current ING SURVEYS	Deed (Book	Mary	#): RHB 21	005 050		
6.	Baltimore Title Reference of REPRESENTATION IN EXIST TITLE OF SURVEY: City of Ba	of Current ING SURVEYS 1timore Ne	Deed (Book	Mary	#): RHB 2	005 050		
6.	Baltimore Title Reference of REPRESENTATION IN EXIST TITLE OF SURVEY: City of Ba DATE OF SURVEY: DEPOSITORY FOR SURVEY RE	of Current ING SURVEYS 1 timore Ne 75	Deed (Book	Mary & Pg. Surve	#): RHB 28	895-658		
6.	Baltimore Title Reference of REPRESENTATION IN EXIST TITLE OF SURVEY: City of Ba DATE OF SURVEY: DEPOSITORY FOR SURVEY RE Commission	of Current ING SURVEYS 1 timore Ne 75	Deed (Book	Mary & Pg. Surve	#): RHB 28	895-658		
6,	Baltimpre Title Reference of REPRESENTATION IN EXIST TITLE OF SURVEY: City of Ba DATE OF SURVEY: DEPOSITORY FOR SURVEY RE COmmission STREET AND NUMBER:	of Current ING SURVEYS 1 timore Ne 75 CORDS: for Hist.	Deed (Book eighborhood Federal (Mary & Pg. Surve	#): RHB 28	895-658		
6.	Baltimpre Title Reference of REPRESENTATION IN EXIST TITLE OF SURVEY: City of Ba DATE OF SURVEY: L9 DEPOSITORY FOR SURVEY RE COMMISSION STREET AND NUMBER: 26 S. Calv	of Current ING SURVEYS 1 timore Ne 75 CORDS: for Hist.	Deed (Book eighborhood Federal (and Arch.	Mary & Pg. Surve	#): RHB 28			
6.	Baltimpre Title Reference of REPRESENTATION IN EXIST TITLE OF SURVEY: City of Ba DATE OF SURVEY: DEPOSITORY FOR SURVEY RE COmmission STREET AND NUMBER:	of Current ING SURVEYS 1 timore Ne 75 CORDS: for Hist.	Deed (Book eighborhood Federal (and Arch.	Mary & Pg. Surve Surve Pres.	#): RHB 28	895-658		

	1			(Check One)	
COURTEON	X Excellent	☐ Good	☐ Fair	☐ Deteriorate	ed 🗌 Ruins	☐ ·Unexposed
CONDITION		(Check Or	ne)		(Ch	eck One)
	☐ Alte	red	Uncliered		☐ Moved	X Original Site

This is a four story building of masonry laid in common bond. It is divided into three sections: 1) left of the entrance-- consists of three bays; 2) entrance-- consists of two bays; 3) right of the entrance-- contains eleven bays. Both the first and third sections are identical in configuration.

The first story is marked by long, vertically beveled recesses divided into sections by steel posts rising from the lower (beveled) surface of the recess to the latter's top edge. Between the top edge of the beveled surface and the top edge of the recessed area are eleven horizontal louvres.

The second, third, and fourth story windows are uniform in appearance, i. e., a pair of plate glass windows in metal frames occupy the extreme right space of a horizontal, rectangular recess which is slightly over twice the width of the window group. The space between the extreme right edge of the recess and the left edge of the window frame is occupied by a beveled masonry indentation which deepens as it progresses from left to right. The unbroken belts of masonry between the rows of window recesses are evenlyplaced except for the belt between the first and second stories, which is wider than the rest.

The entrance is recessed from the facade surface. A masonry column, which becomes fused with the wall surface at the second story, is placed asymmetrically to the right, and rises to support a blank entablature above the fourth story windows. The entablature rises slightly higher than the roof line of the other two sections of the building.

The first story of the entrance is glass with steel frames. The double doorway is to the left of the column, and has a one piece transom. The doorway is flanked by two large, sheet glass windows, the window to the left being over twice as large as that to the left. The left window has two rectangular underlights, and the right window has one. To the right of the column is a window identical to the one left of the doorway. Above each window is a glass clerestory.

The second and third and fourth stories overhang the first, and all are arranged uniformly, i. e., paired plate glass windows with two rectangular underlights to the left of the column, and paired square plate glass windows, each with one underlight.

The south side has three bays (beginning at the second story) of recesses arranged like those of the facade, but these contain four-piece glass sliding doors instead. The first story is occupied by two garage entrances.

On the north side of the building there is a side entrance on the left of the first story. The doorway enters the building from a rectangular courtyard containing trees, planters, and benches. The side entrance consists of

	Pre-Columbian	Appropriate) 16th Century	,	☐ 18th Century	20th Century
	☐ 15th Century	☐ 17th Century		☐ 19th Century	2 20 00
SPECIFI	C DATE(S) (If Applicab	ble and Known)	C. 1	972	
ALL COLORS OF STREET		eck One or More as Appr		212	
15	Abor iginal	☐ Education		Political	Urban Planning
	☐ Prehistoric	□ Engineering		Religion/Phi-	Other (Specify)
	Historic	☐ Industry		losophy	
	Agriculture	☐ Invention		Science	
	Architecture Aft	☐ Landscape Architecture		Sculpture	
	Commerce	Literature		Social/Human- itarian	
	☐ Communications	Military	П	Theater	
	☐ Conservation	Music		Transportation	
TATEME	ENT OF SIGNIFICANCE	-			
			Calver	ct Street a	ind St. Paul Place
	on the east	and west and	d Cent	re and Fra	nklin Streets on
	the north ar	nd south, has	s unde	ergone a co	nsiderable trans-
	formation ir	n appearance	becau	ise of the	various demolitio
30	and erection	ns of resider	ntial	and commer	cial structures
* 3	over the yea	ars, and also	o beca	ause the bl	ock's dimensions
		izably reduc		Per	
	An 1867 m	map of Baltin	nore s	shows the b	lock in its
	original dim	mensional cor	nfigui	ration. It	was divided into
100	chree parts,	, two rectang	gres a	and an irre	gular quadrilater
	Snape. Inese	e parts were	sepai	атео ву на	rgrove Alley and ementioned street
	The block wa	se then main	LIUN I	o the afor	graced by stately
10	tow o houses w	which in en	no inc	stances dat	ed back to the
	1830s. But t	there were a	numbe	er of comme	rcial structures
	as well. suc	ch as J. W. N	laxwel	l's Centra	1 Steam Marble
ı	Works, which	n occupied a	facto	rv and sev	eral former resid
(ences on Cal	Lvert near Fi	ankli	n. Grant H	ouse, apparently
ě	a small hote	el on the cor	ner r	ext to the	Marble Works,
ı	was convenie	ent for passe	engers	arriving	in Baltimore by
1	train at Cal	vert Station	n, whi	ch was jus	t across the stre
	By 1896;	the Grant Ho	ouse t	ad become	the Grand Central
1	Hotel. The N	lazarites Tab	pernac	le occupie	d 532 N. Calvert,
ć	and a lard d	dealer had bu	sines	s premises	at 520. There
	was a large	livery stabl	le at	105 E. Cen	tre Street, and a
1	Asse m bly Roo	or centre and	1 5t.	hant mere	the Monumental
,			the h	lack had a	hanged somewhat b
1	1904. A 1905	man of The	Burnt	Dietrict	and environs in-
-	dicates that	Courtland 9	itreet	. which on	this block was
	only a court	off of Hami	lton	Street. wa	s now connected
t	to Centre St	reet in the	north		o now connected
					e its present
0	dat proporti	ons. Courtla	and St	reet now r	an through the
1	rectangle bo	unded by St.	Paul	-Hargrove-	Hamilton-Franklin
C	creating a t	riangular pi	ece o	f land nor	th of Hamilton
+ ((which cause	ed the houses	faci	ng St. Pau	l there to be tor
C	down; the tr	iangle becam	ie a p	ark), and	an irregular,
1		irea south of			ck took its first

				20	
			37.575		
GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES		0		GITUDE COORDINATES	
	ING A RECTANGLE LOCATING THE PROPERTY		R	OF LESS TH	POINT OF A PROPERTY
CORNER	LATITUDE Degrees Minutes Seconds	Degrees Minutes Seconds		Decree Minutes Seconds	LONGITUDE
NW	o , *	o ,		Degrees Minutes Seconds 0 • •	Degrees Minutes Second
NE	•	0 , ,			
S E SW				9	
	MATE ACREAGE OF NO	MINATED PROPERTY:			<u> </u>
-					
NAME A	PREPARED BY				
709	eph Potts, P	lanning Assis	ta	nt	DATE
000		Hist. and Arc	٦.	Pres.	11/7/75
ORGANI	a contratain commences por representativa i and trade i contrata con tra				1 / . /
CON STREET	AND NUMBER:	t = = = t	_		
CON STREET 26	S. Calvert S	treet	15	Manuland	21202
CON STREET 26 CITY OR	S. Calvert S	treet			717117
CON STREET 26 CITY OF	S. Calvert S town: timore		1	Maryland Office Use Only	

(continued)


7. glass double doors with a one piece transom, flanked on the left by a large plate glass window with two underlights. The stone entablature appears above this window. Above the entablature appear a pair of square plate glass windows, each with two underlights. Beneath the underlights are metal panels; the entire group is within a metal frame. Both the entrance and the second story windows above it are placed at the extreme right of a beveled recess two stories high, which deepens as it progresses from left to right. The area to the right of the entrance is blank. The area to the right on the second story has a recess similar to those of the facade and the south side. These all contain windows like those of the facade and the south side of the building.

8. (continued)


large step towards the entirely commercial appearance which characterizes it today. The Standard Oil Building at 501 St. Paul Place was erected around 1927. By 1929, structures on lots from 502 to 514 Calvert were demolished to make way for larger, presumably commercial buildings. (The entire side of the block facing Calvert Street is now occupied by the new Shillcraft Building.) The irregularly shaped portion of the block separated by the southward extension of what was Courtland Street became incorporated with the triangular portion of land to the north to become a park. As a result, Hamilton Street was interrupted. By the 1940s, with the erection of the Chesapeake Life Building at the northwest corner, block 553 had lost virtually all of its original residential charm.


The esthetic significance of this block today is diluted by the diversity of styles in the massive, non-innovative commercial architecture to be found there; none of the original structures remain. Its significance is to be found rather in its location, i. e., as a sort of bulwark against the encroachments of road planners and land developers into the historically and architecturally rich area of Mt. Vernon. For this reason it is suggested that this block be included into the City's Historic & District.

B-2041 Shillcraft Building 500 N. Calvert Street, Baltimore




Baltimore City iMap image, 2006





B-2041 Shillcraft Building (A.&.H. Shillman Company, Inc.) 500 N. Calvert Street Block 0553 Lot 001 Baltimore City





500 N. CALVERT ST. 2041

BLOCK 553 NEG. 7 NOV. 1, 1975 M.L. LEPHIVEE